

SWALLOW WALL WASHER - TL21W

W Track Luminaires


PROJECT:

TYPE:

Product Image



Line Drawing



Product Description

Swallow Wall Washer (WW) series LED wall washing track spotlights are made of die-cast aluminum with built-in COB light module and no visible radiator. Available in two standard color temperature options, It has excellent wall washing light distribution and excellent color rendering. For museums, art galleries, commercial Spaces, hotels and high-end residential and other places, can provide professional wall washing lighting.

Product Features

- Body Material: Aluminum alloy die-casting lamp body, insulated pressure resistant plastic electrical box.
- Optical System: Double lens
- Finish: Electrostatic powder coating, black (BK), white (WT)
- Adjustable Angle: Horizontal adjustment from 0° to 355°, Vertical 0°~90° adjustment
- Accessories: Optical fittings can be added
- Certification: CCC
- IP Rating: IP20
- Insulation Level: Class I
- Operating Temperature: -20°C~40°C
- Net Weight: 0.6Kg without packing

Product Specifications

- LED Type: COB
- LED Power: 6W or 12W optional
- Source Lm: 3000K: 650lm (6W) / 1250lm (12W)
4000K: 710lm (6W) / 1370lm (12W)
- LED Lifetime: >50000h-L70 / B10-Ta25°C(LM-80/TM-21)
- CCT/CRI: 3000K / 4000K, Ra90 or Ra97 (>Ra90) is available
- SDCM: 3 SDCM
- Input: 220V~240V AC / 50Hz
- Dimming: Built in knob dimming (dimming range 10~100%)
0-10V dimming (Must conduct compatibility testing with the project site in advance)

Order Model

Model	LED	Dimming	Beam	CRI	CCT	Finish
TL21W Swallow WW	LM06 COB 6W	O On-board	W Washer	9 90 A 97	30 3000K	WT White
	LM12 COB 12W	D 0-10V			40 4000K	BK Black
TL21W	LM12	O	W	9	30	WT

Example: TL21WLM12-O-W930WT

SWALLOW WALL WASHER - TL21W

W Track Luminaires

WAC

PROJECT:

TYPE:


Accessory

TL-21-BD-SW

TL21 BARN DOOR BK



LIGHT DISTRIBUTION@3000K LUMINAIRE DATA



MODEL:	TL21WLM12-O-W930
BEAM ANGLE:	Wash the wall and distribute light
POWER:	15W
LUMENS:	768lm
CBCP:	/
EFFICACY:	51lm/W

SWALLOW WALL WASHER - TL22W

W Track Luminaires

WAC


PROJECT:

TYPE:

Product Image



Line Drawing



Product Description

Swallow Wall Washer (WW) series LED wall washing track spotlights are made of die-cast aluminum with built-in COB light module and no visible radiator. Available in two standard color temperature options, It has excellent wall washing light distribution and excellent color rendering. For museums, art galleries, commercial Spaces, hotels and high-end residential and other places, can provide professional wall washing lighting. Up to three optical accessories can be added, and only one of each type of accessories can be added at the same time

Product Features

- Body Material: Aluminum alloy die-casting lamp body, insulated pressure resistant plastic electrical box.
- Optical System: Double lens
- Finish: Electrostatic powder coating, black (BK) ,white (WT)
- Adjustable Angle: Horizontal adjustment from 0° to 355°, Vertical 0°~90° adjustment
- Accessories: Up to three optical accessories can be added, and only one of each type of accessories can be added at the same time
- Certification: CCC
- IP Rating: IP20
- Insulation Level: Class I
- Operating Temperature: -20°C~40°C
- Net Weight: 1.3Kg without packing

Product Specifications

- LED Type: COB
- LED Power: 18W、28W or 38W optional
- Source Lm: 3000K: 1970lm (18W) / 2880lm (28W) /3520lm (38W)
4000K: 2150lm (18W) / 3090lm (28W) /3840lm (38W)
- LED Lifetime: >50000h-L70 / B10-Ta25°C(LM-80/TM-21)
- CCT/CRI: 3000K / 4000K, Ra90 or Ra 97 (>Ra90) is available • SDCM: 3 SDCM
- Input: 220V~240V AC / 50Hz
- Dimming: Built in knob dimming (dimming range 10~100%)
0-10V dimming (Must conduct compatibility testing with the project site in advance)

Order Model

Model	LED	Dimming	Beam	CRI	CCT	Finish
TL22W Swallow WW	LM18 COB 18W	O On-board	W Washer	9 90 A 97	30 3000K 40 4000K	WT White BK Black
	LM28 COB 28W	D 0-10V				
	LM38 COB 38W					
TL22W	LM28	O	W	9	30	WT

Example: TL22WLM28-O-W930WT

WAC Lighting
www.waclighting.com (US)
www.waclighting.com.cn (China)

Headquarters
44 Harbor Park Drive • Port Washington, NY
Phone (516) 515.5000 • Fax (516) 515.5050

WAC Lighting(Shanghai)
14,Lane 299, Bi Sheng Road,Shanghai 201204
Phone (86.21) 3393.3558 • Fax (86.21) 3362.1598

SWALLOW WALL WASHER - TL22W

W Track Luminaires




PROJECT:

TYPE:


Accessory

TL-22-BD-SW
TL22 BARN DOOR BK


LIGHT DISTRIBUTION@3000K LUMINAIRE DATA



MODEL: TL22WLM18-O-W930
BEAM ANGLE: Wash the wall and distribute light
POWER: 21W
LUMENS: 1292lm
CBCP: /
EFFICACY: 62lm/W



MODEL: TL22WLM28-O-W930
BEAM ANGLE: Wash the wall and distribute light
POWER: 32W
LUMENS: 1997lm
CBCP: /
EFFICACY: 62lm/W



MODEL: TL22WLM38-O-W930
BEAM ANGLE: Wash the wall and distribute light
POWER: 42W
LUMENS: 2640lm
CBCP: /
EFFICACY: 63lm/W